

Gypsum Boards  
Fiber Cement Board  
Gypsum Powder  
Joint Compound  
Decorative Cornice  
Gypsum Tiles  
Mineral Fibre Tiles  
GRG Tiles  
Acoustic Ceiling Tiles  
Ceiling Systems

# Partition, Wall & Ceiling Products



*SM*<sub>and</sub>  
**RAHMANI**  
BUILDING MATERIALS TRADING LLC.

## ABOUT US

### Who we are

We are one of the oldest and the most trusted Building Materials, Hardware, Tools, Sanitary Ware and Décor Traders in the United Arab Emirates. Our accomplishment is clearly reflected in the progress in Dubai due our partnership in the state-of-art structures namely Burj Al Arab, Burj Khalifa, JBR, Dubai Marina etc. in Dubai and major projects in other emirates - Abu Dhabi, Al Ain, Sharjah, Ras Al Khaimah and Fujairah.

### Why us

Operating from multiple branches in the UAE with warehouse support, we are confident to fulfil the need of any size. Quality is our foremost de-facto motto. Be it the product, sales & service or after sales service, we emphasize on customer satisfaction. Over the decades, it is the quality that has created the goodwill among our customers. Our customer base includes maintenance, facilities management, furniture manufacturers, interior fit-out companies, general contracting companies, oil field suppliers, ship, chandlers, re-exporters and end-users.

### A Wide Spectrum of Products to choose from:

Our showrooms can be truly classified as the 'one stop shop' for building materials, hardware and interior decorative products. The products range from basic items like hardwood, exotic timber, construction timber, steel, cement, roofing material, plywood, MDF and HDF boards, gypsum boards to interior decoration products like doors & accessories, false ceiling systems, floor coverings, wave boards, laminates, partitions, etc. Additionally, the range include hardware items, tools, accessories, adhesives, sealants, electrical items, paints, plumbing tools, sanitary ware, kitchen equipment and garden tools.

### Global reach

Our spectrum of customers extends beyond the geographical boundaries of the UAE and encompasses the regions namely Russia, Eritrea, Ethiopia, Sudan, Libya, Algeria, Mauritania, Zaire, Kenya, Uganda, Tanzania, Rwanda, Gabon, Madagascar, Seychelles, etc.

## GYPSUM BOARDS


### Regular Board

#### Properties

Non-combustible, superior thermal insulation, suitable for most application where normal fire, structural and acoustic performance is specified. It is produced from high purity natural gypsum core being sheet in closely adhering paper liners. Available in wide variety of length, width, thickness & edge types to cover the entire spectrum of the requirement. It is universally used for wall partition and ceiling system.

Edge type: RE

Size: 1200 x 2400 x 12mm / 1200 x 2400 x 9mm  
 120cm x 240cm x 12.5mm / 120cm x 270cm x 12.5mm  
 120cm x 300cm x 12mm



### Moisture Resistant Board (MR)

#### Properties

A gypsum board with water repellent additives in the core, encased in special green paper liner. The gypsum compound and papers are mixed with special substances to specially increase moisture resistance with less than 5% water absorption property.

#### Application

For installation as semi-exposed external soffits and ceiling in restroom and also suitable as a base for ceramic tiling in wet use areas.

Edge type: - Recessed Edge (RE) and Square Edge (SE)

Size: 120cm x 240cm x 12.5mm



### Fire Resistant Board (Fr)

#### Properties

Gypsum compound is mixed with fiberglass and other additives in the core, faced with pink coloured paper. Used in Gypsum partition, wall lining and ceiling systems, it can be designed to provide up to 3 hours fire resistance

#### Application

For use in conjunction with ceilings and walls that need extra fire resistance or used to cover steel structures to prevent deformation of structures in case of fire.

Edge type: - Recessed Edge (RE) and Square Edge (SE)

Size: 120cm x 240cm x 12.5mm




### Fire Rated Mr Gypsum Board

#### Properties

Fire Rated MR Board is a gypsum board which provides superior fire and moisture resistance for stud partitions, wall lining and ceiling systems. It complies with the local fire safety regulations when fixed with all approved components. Ideal for fire protection and fire-rated partitions in residential and commercial projects. They are not suitable for enclosed permanently humid areas.

Edge type: RE

Size: 240cm / 300cm Width x 120cm x Thickness 12.5



### Fibre Cement Boards



Everest Fibre Cement Boards adequately fulfils the promise of “One Board Many Applications“. They offers superior resistance to moisture, termite, and fire unlike other conventional wood based reconstituted material like Plywood, Particle Board, MDF etc. making it an ideal for variety of applications in residential, commercial and industrial segment. Everest Fibre Cement Board, in combination with different substrate framework like timber, steel and aluminum offers advanced dry construction solutions in both Interior and Exterior applications leveraging space utilization to the maximum while saving maximum time.

Sizes:  
1220 x 2440 x 06mm, 1220 x 2440 x 09mm, 1220 x 2440 x 12mm  
1220 x 2440 x 18mm, 1200 x 2440 x 18mm

### Calcium Silicate Board



Calcium silicate board is an asbestos-free thermal insulation product that can withstand continuous high operating temperatures. It is a light weight, low thermal conductive, high strength, easy to install, reliable and durable product. They are manufactured from a mixture of Portland cement, fine silica, special cellulose fibers and selected fillers to impart durability, toughness and moisture resistance. Calcium Silicate boards will not degrade with time and within normal applications, the life of the product is limited only by the durability of the supporting structure and materials used in fastening. Calcium Silicate Board will not rot or support fungal growth and is unaffected by sunlight or steam. Mainly used for external & internal walls & ceilings, as the un-

### Gypsum Powder



Rahmani Gypsum Powder  
Weight: 25Kg



Sadaf Gypsum Powder  
Weight: 27-30Kg



Weight: 28Kg and 5Kg

### Gypsum Joint Compound



Weight: 28Kg and 5Kg



Necci Gypsum Powder  
Weight: 25Kg

### Gypsum Joint Tape



Size: 24/2" x 90 meter  
Size: 20/2" x 250 feet

### Binding Wire



Weight: 900, 700,  
600, 500 grams

### Gypsum Screws



Sizes: 1/2", 3/4", 1", 1 1/4",  
1 1/2", 2", 2 1/2", 3", 4"

### CORNICE (Polyurethane Decorative Mouldings)

Polyurethane / Hard Foam Cornice  
 Our decorative polyurethane cornices offer the perfect finish for any wall surface. It conceal cracks, bumps and unclean wallpaper and creates harmonious transitions from wall to ceiling. Lightweight and durable, weatherproof, impact and shock resistant, easy to cut and sand and pre-primed. Recommended for indoor use




**FOIL BACKED GYPSUM CEILING TILES**



Size : 60cm x 60cm

It is made from a high quality natural gypsum with a mixture of fiberglass for reinforcement. It is fireproof, high-strength and non-deform, good sound attenuation, Moisture Proof and more. Easy setting and cleaning. GRG is for use where it is not subject to dampness. (Don't use directly exposed to rain, fountains or wet locations).



FOIL BACKED GYPSUM CEILING TILES

Size : 60cm x 60cm




**GRG CEILING TILES**



GRG stands for Glass Reinforced Gypsum or sometimes called Glass Fiber Reinforced Gypsum (GFRG).

It is a composite Material consisting of gypsum casting palster and glass fibre matting. It is lightweith, durable and offers considerable economic benfits.

GRG Ceiling Tiles are manufactured from glass-reinforced gypsum and comprise non-combustible gypsum casting plaster reinforced with glass fiber membrane resulting in a lightweight and strong product. GRG tiles focus on quality.



## ACOUSTIC CEILING TILES




Size : 60cm x 60cm




### CROSS FISSURED

CROSS FISSURED is a directionally fissured panel's excellent choice for large ceiling areas and a cost-effective alternative to smooth panels. Mid-range sound absorption and sound attenuation which make it ideal for Schools, Corridors, warehouses, offices and general commercial stores.  
Normal Size: 600mm x 600x 15mm  
Available in 19mm thickness for NRC value 0.6



### USG BORAL OLYMPIA

USG BORAL OLYMPIA is economical acoustical ceiling grade, fine-textured acoustical panels that resist sagging. It's feature Superior Performance, a patented broad-spectrum standard formulation that inhibits and retards the growth of mold and mildew. The panels are made with a water-felted manufacturing process that provides good ceiling attenuation class (CAC) performance. They are installed quickly and easily and are classified as low-emitting ceiling panels and are ideal for reception areas, libraries, Banks, Nursery and retail stores  
Normal Size: 600mm x 600  
Available in 15mm thickness



### OLYMPIA MICRO

OLYMPIA MICRO - with micro perforations that provide a smoother look and suitable sound absorption, these panels offer upscale appearance at a mid-range price. The surface of the panel has micro perforations, a smoother look than standard perforations that aids in sound absorption. They are available in .6 noise reduction coefficient (NRC) and an enhanced .65 NRC that addresses HIPAA requirements. Ideal solutions for classroom and general teaching conditions.  
Normal Size: 600mm x 600  
Available in 15mm thickness



**PVC CEILING TILES**

**PVC Laminated Gypsum Tiles**

PVC Laminated Gypsum tiles are made up of high quality gypsum board with PVC lamination on front side and Aluminum foil on the back. The product is available in various attractive designs 154, Diamond, Elefoil, Islaimc, Newshode, and Safari. It is dimensionally stable and widely used in commercial & residential projects.

**Features**


- moisture resistant
  - reduce heat transmission thus making it more suitable for ceiling
  - crack resistant
  - light in weight, smooth and uniform surface
  - 100% Asbestos free.
- applications**
- interior decoration



**ALUMINIUM CEILING TILES**



Size : 60cm x 60cm



**GYPSUM PARTITION SYSTEM & ACCESSORIES**



**Galvanized C Stud**  
50mm x 3 meters



**Galvanized C Stud**  
70mm x 3 meters



**Galvanized C Stud**  
73mm x 3 meters



**Galvanized Track**  
52mm x 3 meters



**Galvanized Track**  
70mm x 3 meters



**Galvanized Track**  
75mm x 3 meters



**Furring Channel**  
Size: 35mm x 3 meter



**Main/C Channel**  
Size: 38mm x 3 meter




**G.I. Angle**  
Size: 25mm x 3 meter




**G.I. Board Channel**  
Size: 13mm x 25mm x 3 mtr



**C Channel Bracket**  
Size: 38mm



**G.i. Bracket For Spring Tee**  
Size: 38mm



**T Spring Connector**  
Size: 38mm




**Adjustable Clip**  
Hole Size: 3mm, 4mm



**G.I. Wire Clip**  
Size: 38mm



**G.I. Wire (Rod / Roll)**  
Rod – 4mm x 1 meter  
Roll – 2mm, 2.5mm, 3mm, 4mm



**C-Clamp**  
Size: 38mm x 6mm (dia)

**CEILING SUSPENSION SYSTEM**

**EXPOSED T GRID SUSPENSION FOR GYPSUM TILES**



**Cross Tee**  
60 and 120cm




**Main Tee**  
360cm



**Wall Angle**  
360cm

**CONCEALED SYSTEM FOR ALUMINIUM TILES**




**Spring Tee**

3.5cm x 4 meter  
3.5cm x 3 meter



**Wall Channel Edge Trim**

WHITE / SILVER MIRROR / GOLDEN MIRROR  
Lenght: 3 meter



**G.I. Bracket**

FOR ALUMINIUM SUSPENSION

**Partition Profiles And Accessories**



**Aluminium Top Section**

Size: 95mm x 6 mtr




**Omega Profile - Aluminium**

Size: 34mm x 6 mtr



**Aluminium Window Profile**

Size: 95mm x 6 mtr




**Outside Aluminium Angle**

Size: 6 meter



**Inside Aluminium Angle**

Size: 6 mtr



**Aluminium Step With Rubber nosing**


Size: 3 mtr, 3.6 mtr



**Rubber For Omega Profile**

Per Roll 50 mtr  
Black, White, Grey

**Ceiling Access Panel**



30cm x 30cm, 40cm x 40cm, 45cm x 45cm,  
60cm x 60cm, 80cm x 80cm

**Fibreglass Insulation**



Application:  
Roofs and side walls of commercial,  
industrial, residential,  
agricultural buildings and poultry farms.

Size: 1.1 mtr x 20 mtr length / 5 cm thick

**Rockwool**



Size: 60 x 120 x 5 cm

Rock wool is an insulation material, light in weight, made up of intermingled vitreous fibres composed of complex silicates.


**Prismatic Light**



**STELITE**  
Prismatic Light  
60cm x 60cm



**DAMPA**  
360cm x 60cm




**GRILLE STYLE 24W**  
Size: 60cm x 60cm



**ARTISTIC 24W**  
Size: 60cm x 60cm

**Louver Light - Standard**



**CARLSBURG T-5 (with tube) VIN60L**  
Size: 60cm x 60cm



**VIN60L**  
Size: 60cm x 60cm



**R.GEE**  
Size: 60cm x 60cm



**VINTAGE DAMPA**  
Size: 60cm x 60cm

إس إم  
رحماني  
تجارة مواد البناء ذ.م.م

*SM*  
**RAHMANI**

BUILDING MATERIALS TRADING LLC.

sales@smrahmani.com / www.smrahmani.com

P. O. Box: 6993, Dubai-UAE.



**Al Khabaisi +9714 2500753**

Shop: 21, 17A Street, Al Khabaisi, Dubai, UAE.



**Al Quoz +9714 3868752**

181, 318 Road, Ind-4, Al Quoz, Dubai,



**Al Nakheel +9714 3469950**

14, 25 Street, Naif, Dera, Dubai, UAE



**Al Nakheel +9714 3469950**

14, 25 Street, Naif, Dera, Dubai, UAE